you wan assert interpretation to the contribution of the contribut	CLASSIFICATION CCRETOMETIAL	614839
COUNTRY Poland		REPORT NO.
TOPIC Border		AND RESIDENCE WITH A THIRD TRANSPORT PROCESSOR TO COLORS FOR THE RESIDENCE FOR THE PROCESSOR OF THE PROCESSO
2. Registr 3. Former	ation and Induction of the 1933 Class German Army Ammunition Depot in Krappi	tz and Fuel Depot in Blechhammer
25X1 EVALUATION	PLACE OBTAINED	25X1
DATE OF CONTENT	prior to 20 October 1953	1
DATE OBTAINED	25X1 DATE PREPAR	cn = 11 March 1954
		Service of the servic
REFERENCES 2		
PAGES	ENCLOSURES (No. & TYPE)	ar oma para menementa per per esta comindade de para per esta come a mana esta de per esta come esta come esta Tanta esta come esta
REMARKS		
		25
#2.14 **	The Control of the Co	All and the second seco
X1 In summon the target 2. No army prior to	wespons were observed. The soldiers it which extended as far as the norter, a KBW tent camp was near the forestanglements, fire trenches, emplacement get ranges, the old drill ground north personnel or border guard troops were 20 October 1953. Detachments of the reston-house in Kunzendorf (P 51/J C3)	hern edge of the Neustadt forest. t. The training ground included ts, and a dummy town. Except for of the city was not used. observed in the Neustadt post area border guard troops were in the
hacusel hals Cit J 03); a road sta headquar was in t ous wire ment was der was (1 straw. h	(P 51/H 93); in Ziegenhals (P 51/H 83) ty) railroad station; in Schoenwalde (land in an inn, about 400 meters east of ation, on the north side of the railrosters was stationed at Ziegenhals. The Neustadt - Ziegenhals border sectors entanglement was near Schoenwalde and between Kroeschendorf and Dittersdorf marked by a strip of plowed terrain are guards or obstacles were on the Czecthe Polish side.) at the Gruchorazy Miasto (Ziegen- F 51/H 83); in Kroeschendorf (P 51/ f the Dittersdorf (P 51/J C3) rail- ad line. A WOP (border guard troops) No continuous wire entanglement in late October 1953. One continu- d another continuous wire entangle- f. Southeast of Kunzendorf, the bor- ad wooden poles topped by wisps of
to 25 me were in trucks a fence an were ava	we large, bright, silver-painted fuel ters in diameter, inscribed "G P N" (of the Blechhammer (P 51/Y 68) fuel depotent tank motor vehicles were in the depotent was guarded by sentries wearing unificable. The Panstwowa Fabryka Zwiazkowas opposite the depot on the north sid	Centrala Produktow Naftowych), t prior to October 1953. Tank cars, cct area, which was enclosed by a forms and carrying arms. Watchtowers Azotowych (state-run nitrogen

CLASSIFICATION CONFIDENTIAL

		CONFIDENTIAL		
25X1	•	-2-		
] 4.	The former German army ammunition depot in Krappitz (F 51/J 25) was still under reconstruction in October 1953. Workers from Krappitz and the neighboring villages worked there. The area extended almost as far as the Krappitz - Rogau (F 51/J 26) road and was cordoned off by Folish troops wearing red service color. No Folish troops were stationed in Krappitz. 4		
25X1	5.	No regular military recruiting office was stationed in Neustadt in the fall of 1953. The recruiting office for the district was in Neisse (P 51/H 75). Registrations in Neustadt were held in the building of the labor service. The entire 1933 class and members of the 1930 through 1932 classes who had not been inducted were required to appear for registration on 13 September 1953. The recruits were inducted on 17 October 1953. They had to report to an office in Neisse and were scheduled to work in pits. Individuals who had served their term had not returned to Kunzendorf prior to 20 October 1953.		
25X1	1.[Comment. The 15th KBW Regt is carried in Newstadt. The present information confirms the unit prior to October 1953.		
25X1	2.	Comment. A battalion headquarters for this sector is presumably stationed at Ziegonhals and is subordinate to the 4th WOP Brig in Gleiwitz.		
25X1	3.			
25X1	li.	Comment. The former German army ammunition depot in Krappitz was badly damaged. Reconstruction activities commenced in 1951 and allegedly focus on underground installations.		

CONFIDENTIAL